





Using a fabric made from the most advanced transparent PVC used in Birkdale roller blinds, it will ensure peace of mind for workers and help customers feel comfortable.

It can be controlled using either a chain or a battery-powered tubular motor and is made to measure so it can meet the needs of every business.

It is able to perform the function of a traditional methacrylate screen at a lower cost and can be removed when necessary.

Technical Specification

ROLL WIDTH 1370mm / 1400mm

ROLL HEIGHT 2400mm



Battery Operated



Chain Operated

CRYSTAL PVC FILM FIREPROOF

COMPOSITION: 100% PVC ROLL WIDTH: 1370 mm WEIGHT PER M^2 : 617,5 g/m²

FABRIC THICKNESS: 0,50 mm

FIRE CLASSIFICATION: Fireproof Certificate B1/M2

RECOMMENDED USE: Indoor and outdoor

MAINTENANCE: Damp cloth on both sides

CRYSTAL PVC FILM NOT FIRE RATED

COMPOSITION: 100% PVC

ROLL WIDTH: 1400 mm

WEIGHT PER M2: 780 g/m²

FABRIC THICKNESS: 0,63 mm

FIRE CLASSIFICATION: Not fireproof

RECOMMENDED USE: Indoor and outdoor

MAINTENANCE: Damp cloth on both sides

Both Battery and Chain operated screens can be supplied with fire and none fire rated PVC

birkdale >

Birkdale Manufacturing Group Ltd Unit 1, Eastgate Park Arkwright Way Queensway Industrial Estate Scunthorpe North Lincolnshire DN16 1AE

© 01724 282 171

- 01724 282 170

www.birkdale.co.uk

\$ 53.567923, -0.617272

