EROS LENS

ENG

Unrestricted view for open terraces

Designed to provide vertical shade, this drop awning allows us to create sideways structures thanks to the vertical movement of the canvas, which is guided via extruded aluminum guides.

MOBILISATION

Motorized

Automated

Manual

INSTALLATION POSSIBILITIES

Terrace

Wrought

✓ Made with **acrylic canvas or PVC**.
✓ Incorporation of **intermediate aluminium profiles that provide greater stability**.
✓ **The system can be fixed to the floor by means of hinged straps and rings.**

TYPES OF FIXING

Measurements in mm.



Frontal

Ceiling

SUPPORT

Measurements in mm.



Top bracket

GUIDE PROFIL

Measurements in mm.



EROS LENS

PANORAMIC **WINDOW**

022137



	CODE	COMPONENTS
1	024431	Gear Saxun awning 1:7 L80 Long screw
2	022819	Lacquered crank handle with a zinced hook
3	024675	Charge profile Eros
3A	022494	Profile Tolper 62 (only assembly without guides)
4	022962	Set of caps for Tolper 62 profile
5	022212	Pair side brackets Paravento
6	022269	Nylon round cap gear 13x35 ø60 square axle (up to 3,75)
6A	022271	Nylon round cap gear 13x35 ø70 square axle (from 3,75)
7	022267	Nylon round cap gear 12x20 ø60 round axle (up to 3,75)
7A	022268	Nylon round cap gear 12x20 ø70 round axle (from 3,75)
8	024077	Pair guide profile bearing 120x40

	CODE	COMPONENTS
9	024090	Guide 120x40
10	022092	Windbreaker stainless steel security lock
11	022810	Brush 9x7,3 for windbreaker guide
12	022805	Axle ø60 (up to 3,75)
12A	022806	Axle ø70 (from 3,75)
13	024674	Profile reinforcement Eros
14	022367	Bottom weight profile reinforcement curved Paravento
15	022089	Folding ring (only assembly without guides)
16	022108	Strap with buckle for curtain (only assembly without guides)
17	022090	Bridge flange

WIND RESISTANCE EN 13561:2004+A1:2008

	WIDTH														
HEIGHT	1,50	1,75	2,00	2,25	2,50	2,75	3,00	3,25	3,50	3,75	4,00	4,25	4,50	4,75	5,00
2,50	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
2,75	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3,00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3,25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Class 0	< 29 Km/h	Class 2	≈ 38 Km/h

Giménez Ganga®

F.T. EROS LENS • ENG • 01 • 0120

saxun.com